PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No.: FOLTYN

In re Application of:

ROMAN FOLTYN et al.

Appl. No.: 10/595,486

Filed:

For: TEMPORALLY PRECISE EXECUTION OF A MEASURING OR CONTROL ACTION, AND SYNCHRONISATION OF A PLURALITY OF SUCH ACTIONS


INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

SIR:

In accordance with 37 C.F.R. 1.56, applicant wishes to call the attention of the Examiner to the references listed on enclosed form PTO-1449 which were cited in the International Search Report issued by the European Patent Office with regard to the corresponding International patent application No. PCT/EP2004/011649, respectively. Applicant does not admit that any of the cited documents constitutes prior art against the pending application.

Copies of these references are submitted herewith along with form PTO-1449. The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.



- [] The fee of \$180.00 set forth in 1.17(p).
- [] The Commissioner is hereby authorized to charge the fee as set forth in 1.17(p), and any additional fees which may be required, or credit any overpayment to Deposit Account No. 06-0502.
- [X] The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 06-0502.

In order to satisfy the requirement under 37 C.F.R. §1.98(a)(3) for a concise explanation of the relevance of each item of information, applicant herewith submits a copy of the International Search Report. In addition, applicant notes with respect to any information that is not in English language as follows:

German Patent No. DE 196 13 734 describes a device for time-synchronized determination of electric signals, including a radio-controlled clock (5,6) connected to a frequency-locked loop (7,8) with a processor (9,10) and a controllable oscillator (11,12) at each site (1,2). At a predetermined instant, each processor produces an activation signal (31,32) for an output switching circuit (13,14). Consequently, a starting signal (S) is produced (15,16) simultaneously at each site, where the quantity (M1,M2) to be measured is switched (21,22) electronically to a sample-and-hold circuit (19,20) activated (17,18) by a sampling clock pulse (T). The oscillator may be crystal-controlled with an input digital-analogue converter and an output frequency divider.

German Patent No. DE 693 07 956 corresponds to U.S. Pat. No. 5,548,562 to Helgerud et al. and describes a method for synchronization of seismic surveys, wherein the systems are composed of subsystems and may be land-based or marine, consists in the survey system being supplied with an absolute time standard and a time code based on the absolute time standard being generated in the survey system. There is further provided at least one programmable event generator in the survey system and this is synchronized with the absolute time standard. The time for a specific event is predetermined on the basis of given parameters and supplied with the time code which corresponds to this time. The

time for a determined event is then supplied to the subsystems which are also provided with the absolute time standard. The event can thereby be executed in one or more of the subsystems on the basis of the supplied absolute time standard and synchronization is obtained with the desired accuracy. It is thus possible to synchronize shot times in a seismic signal generating system, and synchronize the shot recording time and sampling times in a seismic data recording system. It is also possible to determine the exact time of actually occurring events in a system for seismic surveys.

German Offenlegungsschrift DE 198 47 665 describes transmitter-receivers that communicate with each other with an unequivocal and synchronous channel switching sequence. In addition to common switches for signal processing, each transmitter-receiver includes for this purpose a program part (22) for a channel switching sequence and a clock generator device (24, 26) synchronized by a public radio time signal as well as a channel select circuit (20) and a channel switch (10). In case of a call, the receiving and the transmitting devices are adjusted to a given channel switching sequence depending on the identification number of the receiving device so that participation of other devices is excluded. Channel switching is effected at a relatively high frequency of approximately 1 MHz.

German Patent No. DE 198 41 262 describes a system for processing geographic position data and images. An electronic circuit (5) has a first circuit part (19) for input of geographic position data and for output of position data with image data in an appropriate form for common recording and/or transmission and a second circuit part (30-35) for input of recorded position data with image data and for their output in computer-readable form. The system also includes a computer program designed to display at least one digital map (44) on a screen (12), to display the recording site of images or image sequences represented by the image data on the at least one map and to display the corresponding images or image sequences when the user selects a recording site.

The above-identified application discloses and claims an invention patentable over this prior art.

Entry of the references above set forth into the file of the above application is believed to be in order and is respectfully requested.

Respectfully submitted

Bv

Henry M. Feiereisen Agent for Applicant Reg. No. 31,084

Date: December 4, 2006

350 Fifth Avenue

Suite 4714

New York, N.Y. 10118

(212) 244-5500

HMF:af

Approved for use through 04/30/2003. OMB 05/51-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are requir

Substitute for form 1449A/PTO				Complete if Known			
				Application Number	10/595,486		
			CLOSURE	Filing Date			
STA	TEMEN	T BY A	PPLICANT	First Named Inventor	Roman Foltyn		
				Art Unit		· · · · · · · · · · · · · · · · · · ·	
(use as many sheets as necessary)			necessary)	Examiner Name			
Sheet	1	of	1	Attorney Docket Number	FOLTYN		

			U.S. PATENT	DOCUMENTS	
Exeminer initials *	Cite	Document Number		News of Colored - A - Hand of	Same Calumna Lines When Bulance
	No.3	Number - Kind Code ² (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	5	US-005650981	01-06-1993	Precision Seismic, Inc.	
	6	US-005629626	07-12-1994	Geo-Centers, Inc	
	9	US-005440313	05-27-1993	Stellar GPS Corporation	
	10	US-005978313	09-30-1997	Trimble Navigation Limited	
	11	US-006191587	11-06-1997	Anthony Charles Leonid Fox	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No.1	Foreign Patent Document		Name of Patentee or	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	τ ^g
		Country Code ³ - Number ⁴ - Kind Code ⁶ (if Impwn)	Publication Data MM-DD-YYYY	Applicant of Cited Document		
	1	DE-196 13 734	08-28- 1997	IMC Meßsysteme GmbH		
	2	DE-693 07 956	1997	Geco A.S.		
	3	DE-198 47 665	05-04- 2000	europ lei Communication Systems GmbH		
	4	DE-198 41 262	12-28- 2000	iBS Integrierte Business Systeme GmbH		
	7	JP-2002148372	05-22- 2002	HÁKUSAN KOGYO KK		
_	8	WO- 03/012480	02-13- 2003	FUMI, Eugenio		
					,	

		LIE	
Examiner Signature	Date Considered	•	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered, include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional), 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to

cocument 5 kind or document by the appropriate symbols as indicated on the document under WiPO Standard ST, 16 if possible, 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.